

FORWARD-LOOKING STATEMENTS



Certain information contained herein regarding Cartier Silver Corporation, including management's assessment of future plans and operations, may constitute forward-looking statements under applicable securities law and necessarily involve risks, including but not limited to risks associated with mining exploration, operating costs, production costs, volatility of share prices, currency fluctuations, imprecision of resource and reserve estimates, environmental risks and ability to access sufficient capital from internal and external sources.

As a consequence, actual results may differ materially from those anticipated in any forward-looking statements. Plans, intentions or expectations disclosed in any forward-looking statements or information should not be read as guarantees of future results or events, and will not necessarily be accurate indications of whether or when or by which such results or events will be achieved.

Except as required by law, Cartier Silver Corporation, expressly disclaims any intention and undertakes no obligation to update any forward looking statements or information as conditions change.

The historical mineral resources mentioned are strictly non-compliant to National Instrument 43-101 mineral resource and mineral reserve standards and should therefore not be relied upon. A qualified person has not done sufficient work to upgrade or classify the historical mineral resources as current National Instrument 43-101 compliant.

ABOUT CARTIER SILVER



Cartier Silver Discovery Hole Intersected 49.19 g Ag/t, 1.35% Zn and 1.31% Pb (133.25 g Ag eq/t) over 44.76m on the Gonalbert Property in the Los Chorrillos Silver Project (Sep 7, 2023).

Cartier's holdings comprise two principal properties known as the Gonalbert Mining area and the Felicidad Mining area, located in southern Bolivia approximately 15-20 km southeast of Eloro Resources Ltd.'s Iska Iska silver-tin polymetallic discovery.


Cartier has ownership of 2.3 M shares of Eloro Resources Ltd.



OTHER PROJECTS



- A portfolio of highly prospective iron-rich mineral concessions in the northern and southern Labrador Trough, Canada's premier iron ore mining district
- Inferred Mineral Resource of 531 MT grading
 33% FeT (Total Iron) delineated at the Lac Penguin
 Project covering 141 claims/75 km² in Labrador Trough
- Additional **exploration target potential** at Lac Penguin Project estimated to be 700-900 MT of 27 - 31% FeT
- Metallurgical tests generated high-quality, low deleterious element, low silica (<4.5%) concentrate **grading 64.2% 66.6% iron**, from composite core samples



- Big Easy low sulphidation epithermal gold-silver property in the Avalon zone of Eastern Newfoundland
- The property comprises **369 claims covering 92.3 km²**, 2 hours from St. John's, Newfoundland
- Significant historic drill results include 6.05 g Au/t and 174 g Ag/t over 1.5 m, 7.65 g Au/t over 1.0 m, 0.80 g Au/t over 11.25 m, 1.30 g Au/t over 8.7 m, and 3.54 g Au/t and 511 g Ag/t over 2.0 m
- 10,000 m diamond drilling program in 2022 tested major CSAMT resistivity anomalies in Central-Big Easy Showing area but indicated gold mineralization is in a separate structural block likely to the west

CAPITAL STRUCTURE



	CSE CFE		
	Shares Issued and Outstanding (September 12, 2024)	46,977,522	
market of the second	Warrants (C\$0.50- C\$0.70)	8,565,625	
	Stock Options (C\$0.60 - C\$0.85)	3,935,000	no a
	Fully Diluted	55,543,147	
	Market Price (September 12, 2024)	C\$0.17	
	Market Share Capitalization	C\$8.0 Million	
	Debt	0	
			CSF CFF 4

EXPERIENCED MANAGEMENT TEAM



MANAGEMENT TEAM

THOMAS G. LARSEN

Chief Executive Officer

MILES NAGAMATSU, CA

Chief Financial Officer

JORGE ESTEPA

V.P., Secretary Treasurer

JIMENA MORAN, B.A

V.P., Marketing, Logistics and Executive Assistant

DR. OSVALDO ARCE, P.Geo.

General Manager Minera Cartier Silver Chief Geologist



Over 100 years of combined technical and financial experience in exploration and mining projects

BOARD OF DIRECTORS

THOMAS G. LARSEN

DONALD SHELDON

HARRY BURGESS, P.Eng.

FRANCIS SAUVE

ALEXANDER S. HORVATH, P.Eng.

TECHNICAL TEAM

DR. BILL PEARSON, P.Geo.

Chief Technical Advisor

DR. MIKE HALLEWELL, P.Geo.

Senior VP Engineering Projects/ Metallurgy

DR. QUINTON HENNIGH, P.Geo.

Geologic and Technical Advisor to Crescat Capital, a Strategic Shareholder

CHORRILLOS PROJECT

CARTIERSILVER

Payment

SOUTHERN BOLIVIA

- Chorrillos Silver Project consists of 2 separate optioned properties Upon male (Gonalbert and Felicidad) and three large staked properties Cartier with (CSB-1, CSB-2, CSB-13) located in southern Bolivia approximately 15 km and 20 km south of Eloro Resources Iska Iska silver
 polymetallic discovery
- Cartier Silver's 98%-own Bolivian Subsidiary, Mineral Cartier Bolivia S.R.L. has the **right to acquire a 100% interest in the Chorrillos Silver Project** by making staged payments totalling US \$4.5 million to the vendors and title holders over 5 years as follows:
 - US \$80,000 six months after signing the definitive agreement (paid)
 - US \$220,000 one year after (paid)
 - US \$500,000 two years after
 - US \$700,000 three years after
 - US \$1,000,000 four years after
 - US \$2,000,000 five years after
- For the completed staged payments aggregating **US\$300,000**, Cartier has acquired **30%** of the capital quotas of Gonalbert & Felicidad.

Upon making payment of US\$500,000 by December 12,2024, Minera Cartier will own 50%. Remaining payments are:

	•
December 12, 2025	US\$700,000
20% ownership to be acquired	
December 12, 2026	US\$1,000,000
20% ownership to be acquired	
December 12, 2027	US\$2,000,000
10% ownership to be acquired	

- Properties have no royalties and no set exploration expenditures
- Neither optioned property has previously been drilled and there is only limited previous exploration outside the underground workings

FAVOURABLE INFRASTRUCTURE



SOUTHWEST BOLIVIA AND NORTHERN CHILE


- Easy access to Northern Chilean seaports
- The Chorrillos project close to established domestic paved road and rail transportation routes
- Imes and road access for connection to main rail transportation routes to the Northern Chilean ports and to 3 Bolivian smelters, Vinto, OMSA and Karachipampa





CHORRILLOS IN PROLIFIC BOLIVIAN MINERAL BELT CARTIERSILVER





View looking northwest from Felicidad to Iska Iska. Chorolque is approximately 30 km northwest of Iska Iska.



CHORRILLOS AREA PROPERTY GEOLOGY



- Chorrillos Project area is predominantly underlain by Ordovician basement sediments that have been intruded by a Tertiary-age volcanic complex of dacites, rhyodacites, tuffs and epiclastic sediments
- Alteration and mineralization are widespread at both properties characteristic of intermediate to high sulphidation epithermal systems
- Mineralization occurs in veins, stockworks and as disseminations in all rock types with extensive argillic and silicic alteration
- The epithermal systems are high-level reflected in the predominance of silver in galena veins
- However, tin mineralization has been reported in the valley suggesting that the overall epithermal system may be zoned





GONALBERT MINING AREA




- Consists of 10 grids covering 2.5 km² located 15 km southeast of Iska Iska
- Small artisanal mine recovering high grade silver from a galena vein. Production reported to be 20 tpd at ~200 g Ag/t with concentrate grade of 1,300 g Ag/t
- Property is underlain by Miocene-age dacitic domes and dikes which have intruded basement Ordovician sediments
- Mineralization likely part of an extensive intermediate to high-sulphidation epithermal system



Dr. Osvaldo Arce, Dr. Bill Pearson and Marcelo Alvarez at Sajona Mine, Gonalbert Property

GONALBERT MINING AREA







GONALBERT EPITHERMAL MINERALIZATION





"The Gonalbert zone is a **Bolivian-type caldera hosted**, **polymetallic silver-dominant epithermal vein system**, associated with **Ordovician slates**, and **Miocene dacitic domes**, dykes, and lithic tuffs.

Vein-type and disseminated Ag-Zn-Pb mineralization occur in subvertically continuous fault hosted veins, and replacements of brecciated faults.

The widest and highest-grade veins are present in northwest trending faults which are readily evident in the geological and geophysical data."

Dr. Osvaldo Arce, P.Geo., General Manager of Cartier Silver's Bolivian subsidiary, Minera Cartier S.R.L. and an expert on metalliferous deposits in Bolivia







STRONG GEOCHEMICAL TREND AT GONALBERT



SILVER (Ag)



LEAD (Pb)






Ag-Pb-Zn mineralization is associated with north-northwest trending structures readily inferred from the IP/Res and topographic surveys.

Principal trend of mineralization is 310-330 degrees parallel to a set of north-northwest trending quartz dykes.

DISCOVERY HOLE AT GONALBERT




- Cartier Silver Intersected 49.19 g Ag/t,
 1.35% Zn and 1.31% Pb (133.25 g Ag eq/t) over
 44.76 m in Discovery Hole on the Gonalbert
 Property, Potosi Department, Southern Bolivia
- This zone includes a higher-grade interval of 137.42 g Ag/t, 7.91% Zn and 5.6% Pb (540.26 g Ag eq/t) over 5.60 m
- Other significant intersections in the Discovery Hole include:
 - 57.74 g Ag/t and 1.75% Pb (121.71 g Ag eq/t) over 18.25 m including 79.90 g Ag/t and 2.53% Pb (168.41 g Ag eq/t) over 6.63 m
 - 109.54 g Ag/t, 3.68% Zn and 4.44% Pb (356.36 g Ag eq/t) over 11.09 m including 170.01 g Ag/t, 2.51% Zn and 7.00% Pb (450.37 g Ag eq/t) over 5.81 m




DISCOVERY HOLE CROSS SECTION



GEOLOGY



CHARGEABILITY WITH DRILLHOLES






that the chargeable mineralization becomes stronger with depth, reaching a maximum at the 400 m limit of the IP/Res survey.

STRONG CHARGEABILITY ANOMALY



- Strong IP chargeability anomaly
 along major NW structure from Mina
 Central extends 1,100 m along strike,
 is ~100 m wide and extends to a
 depth of at least 400 m, the depth
 limit of the survey
- Chargeable mineralization coincides with the enhanced conductivity along both fault traces
- at depths greater than 100 m, below a depleted, near-surface zone where sulphide mineralization has been extensively oxidized



EXTENSIVE HIGH SILVER IN UG WORKINGS





Systematic channel sampling (overall average of 1.1 m)
of underground mine and artisanal workings returned widespread
high-grade silver equivalent results

Highlights

- 751.6 g Ag eq/t (104.3 g Ag/t, 4.5% Pb and 10.3% Zn) over 257 m strike length in Level -140, Mina Central
- 1,161.8 g Ag eq/t (135.0 g Ag/t, 5.5% Pb and 17.4% Zn) over 136 m strike length in Level -160, Mina Central
- 581.99 g Ag eq/t (242.5 g Ag/t and 11% Pb) over 164 m strike length in Level -100, Mina Central

Other Significant Intersections

MINA CENTRAL ADIT

LEVEL 0

- 129.9 g Ag eq/t (**72.6 g Ag/t** and 1.7% Pb) over 268 m strike length
- 82.20 g Ag eq/t (44.10 g Ag/t and 1.2% Pb) over 17 m strike length

LEVEL -40

- 957 g Ag eq/t (**512.5 g Ag/t** and 14% Pb) over 58 m strike length
- 361.9 g Ag eq/t (**132.40 g Ag/t** and 7.1% Pb) over 117 m strike length
- 145.7 g Ag eq/t (47.8 g Ag/t and 3.1% Pb) over 9 m strike length

LEVEL -60

375 g Ag eq/t (**153.7 g Ag/t** and 7% Pb) over 20 m strike length

LEVEL -80

382 g Ag eq/t (**223.9 g Ag/t** and 5.0% Pb) over 30 m strike length

LEVEL -100

- 589.7 g Ag eq/t (**239.5 g Ag/t** and 11% Pb) over 125 m strike length
- 803.78 g Ag eq/t (**343.2 g Ag/t** and 15% Pb) over 40 m strike length

LEVEL -125

- 1398.68 g Ag eq/t (**563.61 g Ag/t**, 14.5% Pb and 7.7% Zn) over 13 m strike length
- 1083.93 g Ag eq/t (172.88 g Ag/t, 9.80% Pb and 12.25% Zn) over 33 m strike length

LEVEL -150

1243.6 g Ag eq/t (**311.5 g Ag/t,** 13.7% Pb, and 10.16% Zn) over 4 m strike length

EXTENSIVE HIGH SILVER IN ARTISAL WORKINGS



LEVEL -160

523.3 g Ag eq/t (68.5 g Ag/t, 3.6% Pb and 6.9% Zn) over 76 m strike length

LEVEL -180

- 633 g Ag eq/t (216.8 g Ag/t, 8.8% Pb and 2.8% Zn) over 64 m strike length
- 624 g Ag eq/t (23 g Ag/t, 0.7% Pb and 12% Zn) over 36 m strike length

MINA LA HOYADA ADIT

LEVEL +20 (Quimbalete)

- 72.5 g Ag eq/t (21.6 g Ag/t, 1.3% Pb and 0.2% Zn) over 129 m strike length
- 223 g Ag eq/t (64.7 g Ag/t, 2.3% Pb and 1.8% Zn) over 29 m strike length

LEVEL 0

189 g Ag eq/t (38.2 g Ag/t, 1.9% Pb and 1.8% Zn) over 29 m strike length

- 193.5 g Ag eq/t (76.3 g Ag/t, 3.1% Pb and 0.4% Zn) over 41 m strike length
- 413.8 g Ag eq/t (67.8 g Ag/t, 3.1% Pb and 5.0% Zn) over 90 m strike length

LEVEL -30

- 102.5 g Ag eq/t (14.9 g Ag/t, 0.7% Pb and 1.3% Zn) over 241 m strike length
- 271.5 g Ag eq/t (37.3 g Ag/t, 1.9% Pb and 3.5% Zn) over 56 m strike length

VICTORIA AREA

VICTORIA 1 ADIT

- 316.20 g Ag eq/t (184.40 g Ag/t, 3.8% Pb, and 0.3% Zn) over 35.4 m strike length
- 79.7 g Ag eq/t (33.1 g Ag/t, 1.2% Pb, and 0.2% Zn) over 97 m strike length

VICTORIA 2 ADIT

109.2 g Ag eq/t (55.1 g Ag/t, 1.5% Pb, and 0.2% Zn) over 11 m strike length

TACOYOJ AREA

RIELES ADIT

- 76.8 g Ag eq/t (31.1 g Ag/t and 1.4% Pb) over 44 m strike length
- 113.4 g Ag eq/t (46.4 g Ag/t and 2.1% Pb) over 15 m strike length
- 125.1 g Ag eq/t (88.8 g Ag/t and 1.1% Pb) over 22 m strike length

CELIA UG ADIT

- 131 g Ag eq/t (49.3 g Ag/t and 2.5% Pb) over 93 m strike length
- 118.5 g Ag eq/t (60.2 g Ag/t, 1.8% Pb) over 48 m strike length

ISABEL UG ADIT

287.1 g Ag eq/t (133.9 g Ag/t, 4.7% Pb and 0.10% Zn) over 61 m strike length

FELICIDAD MINING AREA




- Consists of 4 grids covering

 1 km² located 5 km southeast
 of the Gonalbert mining area
- Main structural feature on property is a conical hill, highly leached and oxidized
- The conical hill is known by the locals as "Pequeño Cerro Rico" or Small Rich Hill
- Past artisanal mining excavated silver-rich galena veins and vein breccias. Reported grades ~230 g Ag/t
- Geologically is similar to Gonalbert mining area with a **prominent oxidized cap**




FELICIDAD MINING AREA









HIGH GRADE SAMPLES AT FELICIDAD





"Most of the channel samples taken from underground at Felicidad returned high values."


Dr. Osvaldo Arce, P.Geo.

General Manager of Cartier Silver's Bolivian subsidiary

SURFACE & UNDERGROUND CHANNEL SAMPLE RESULTS

Sample	Location	Width (m)	Ag (g/t)	Pb (%)	Zn (%)	Ag eq (g/t)
FE-02	Surface	0.3	11.00	3.95	0.04	145.00
FE-03	Surface	0.2	170.00	20.04	0.03	811.74
FE-05	Underground working	0.4	19.00	4.85	0.00	182.56
FE-06	Underground working	0.15	42.00	9.41	0.01	348.09
FE-11	Surface	2	2.00	0.25	0.07	60.31
FE-13	Surface	0.06	0.50	0.02	0.08	93.44
FE-22	Underground working	0.5	162.00	19.25	0.27	812.16
FE-23	Surface	0.1	1.00	0.69	0.00	34.85
FE-25	Surface	0.6	4.00	0.17	0.00	393.15
FE-27	Underground working	0.35	100.00	0.31	0.36	153.72
FE-29	Underground working	0.2	175.00	29.60	7.22	1,468.45
FE-30	Underground working	0.2	28.00	8.85	0.34	362.39

GEOLOGY PLAN MAP




SUMMARY MAJOR POTENTIAL AT GONALBERT



- Strong correlation of chargeability with potential high-grade silver target areas outlined by underground channel sampling
- Discovery hole DGL-01 intersected Intersected 49.19 g Ag/t, 1.35% Zn and 1.31% Pb (133.25 g Ag eq/t) over 44.76 m
- Ag-Pb-Zn mineralization is associated with north-northwest trending structures readily inferred from the IP/Res and topographic surveys
- Strong IP chargeability anomaly along major NW structure from Mina Central extends 1,100 m along strike, is ~100 m wide and extends to a depth of at least 400 m, the depth limit of the survey
- Systematic channel sampling in underground workings at the Gonalbert property has confirmed the high-grade nature and extensions of silver-rich structures with increasing grades at depth

PLAN MAP



NEXT STEPS



PLANNED PHASE II PROGRAM

- Second round of drilling at Gonalbert to consist of 8-10 drillholes totaling approx. 3,000 metres
- chargeability anomaly extending 1.1 km for Mina Central and that correlates with high-grade samples encountered in underground workings

PROPOSED BUDGET

Estimated cost of program cost is approx. US\$1,000,000

