

### **FORWARD-LOOKING STATEMENTS**



Certain information contained herein regarding Cartier Silver Corporation, including management's assessment of future plans and operations, may constitute forward-looking statements under applicable securities law and necessarily involve risks, including but not limited to risks associated with mining exploration, operating costs, production costs, volatility of share prices, currency fluctuations, imprecision of resource and reserve estimates, environmental risks and ability to access sufficient capital from internal and external sources.

As a consequence, actual results may differ materially from those anticipated in any forward-looking statements. Plans, intentions or expectations disclosed in any forward-looking statements or information should not be read as guarantees of future results or events, and will not necessarily be accurate indications of whether or when or by which such results or events will be achieved.

Except as required by law, Cartier Silver Corporation, expressly disclaims any intention and undertakes no obligation to update any forward looking statements or information as conditions change.

The historical mineral resources mentioned are strictly non-compliant to National Instrument 43-101 mineral resource and mineral reserve standards and should therefore not be relied upon. A qualified person has not done sufficient work to upgrade or classify the historical mineral resources as current National Instrument 43-101 compliant.


## ABOUT CARTIER SILVER



Cartier Silver Discovery Hole Intersected 49.19 g Ag/t, 1.35% Zn and 1.31% Pb (133.25 g Ag eq/t) over 44.76m on the Gonalbert Property in the Los Chorrillos Silver Project (Sep 7, 2023).

Cartier's holdings comprise two principal properties known as the Gonalbert Mining area and the Felicidad Mining area, located in southern Bolivia approximately 15-20 km southeast of Eloro Resources Ltd.'s Iska Iska silver-tin polymetallic discovery.


Cartier has ownership of 2.3 M shares of Eloro Resources Ltd.



### OTHER PROJECTS



- A portfolio of highly prospective iron-rich mineral concessions in the northern and southern Labrador Trough, Canada's premier iron ore mining district
- Inferred Mineral Resource of 531 MT grading
  33% FeT (Total Iron) delineated at the Lac Penguin
  Project covering 141 claims/75 km² in Labrador Trough
- Additional **exploration target potential** at Lac Penguin Project estimated to be 700-900 MT of 27 - 31% FeT
- Metallurgical tests generated high-quality, low deleterious element, low silica (<4.5%) concentrate **grading 64.2% 66.6% iron**, from composite core samples



- Big Easy low sulphidation epithermal gold-silver property in the Avalon zone of Eastern Newfoundland
- The property comprises **369 claims covering 92.3 km²**, 2 hours from St. John's, Newfoundland
- Significant historic drill results include 6.05 g Au/t and 174 g Ag/t over 1.5 m, 7.65 g Au/t over 1.0 m, 0.80 g Au/t over 11.25 m, 1.30 g Au/t over 8.7 m, and 3.54 g Au/t and 511 g Ag/t over 2.0 m
- 10,000 m diamond drilling program in 2022 tested major CSAMT resistivity anomalies in Central-Big Easy Showing area but indicated gold mineralization is in a separate structural block likely to the west

# **CAPITAL** STRUCTURE



	CSE CFE		
	Shares Issued and Outstanding (October 8, 2025)	56,913,522	
and the same of th	Warrants (C\$0.50)	8,568,000	
	Stock Options (C\$0.60 - C\$0.85)	3,935,000	- none
	Fully Diluted	69,416,522	
	Market Price (October 7, 2025)	C\$0.14	
	Market Share Capitalization	C\$8.0 Million	
	Debt	0	
			CSF CFE 4

## EXPERIENCED MANAGEMENT TEAM



### **MANAGEMENT TEAM**

THOMAS G. LARSEN

**Chief Executive Officer** 

MILES NAGAMATSU, CA

**Chief Financial Officer** 

#### **JORGE ESTEPA**

V.P., Secretary Treasurer

### **JIMENA MORAN, B.A**

V.P., Marketing, Logistics and Executive Assistant

DR. OSVALDO ARCE, P.Geo.

General Manager Minera Cartier Silver Chief Geologist



Over 100 years of combined technical and financial experience in exploration and mining projects

### **BOARD OF DIRECTORS**

THOMAS G. LARSEN

**DONALD SHELDON** 

HARRY BURGESS, P.Eng.

**FRANCIS SAUVE** 

**ALEXANDER S. HORVATH, P.Eng.** 

### **TECHNICAL TEAM**

DR. OSVALDO ARCE, P.Geo.

Chief Technical Advisor

DR. MIKE HALLEWELL, P.Geo.

Senior VP Engineering Projects/ Metallurgy

DR. QUINTON HENNIGH, P.Geo.

Geologic and Technical Advisor to Crescat Capital, a Strategic Shareholder

### **CHORRILLOS** PROJECT

# CARTIERSILVER

**Payment** 

### SOUTHERN BOLIVIA

- Chorrillos Silver Project consists of 2 separate optioned properties
  (Gonalbert and Felicidad) and three large staked properties
  (CSB-1, CSB-2, CSB-13) located in southern Bolivia approximately Due date
  15 km and 20 km south of Eloro Resources Iska Iska silverpolymetallic discovery
- Cartier Silver's 83%-own Bolivian Subsidiary, Mineral Cartier Bolivia S.R.L. has the **right to acquire a 100% interest in the Chorrillos Silver Project** by making staged payments totalling US \$4.5 million to the vendors and title holders as follows:
  - US \$80,000 June 12, 2023 (paid)
  - US \$220,000 December 12, 2023 (paid)
  - US \$500,000 June 12, 2025 (paid)
  - US \$700,000 due June 12, 2026
  - US \$1,000,000 due June 12, 2027
  - US \$2,000,000 due June 12, 2028
- For the completed staged payments aggregating **US\$800,000**, Cartier has acquired **50%** of the capital quotas of Gonalbert & Felicidad. The remaining payment and the capital quotas to be acquired are:

June 12, 2026	US\$700,000
20% ownership to be acquired	
June 12, 2027	US\$1,000,000
20% ownership to be acquired	
<i>→</i> June 12, 2028	US\$2,000,000

Properties have no royalties and no set exploration expenditures

10% ownership to be acquired

Neither optioned property has previously been drilled and there is only limited previous exploration outside the underground workings

# FAVOURABLE INFRASTRUCTURE



# SOUTHWEST BOLIVIA AND NORTHERN CHILE


- Easy access to Northern Chilean seaports
- The Chorrillos project close to established domestic paved road and rail transportation routes
- Imes and road access for connection to main rail transportation routes to the Northern Chilean ports and to 3 Bolivian smelters, Vinto, OMSA and Karachipampa





# CHORRILLOS IN PROLIFIC BOLIVIAN MINERAL BELT CARTIERSILVER





View looking northwest from Felicidad to Iska Iska. Chorolque is approximately 30 km northwest of Iska Iska.



# **CHORRILLOS AREA PROPERTY GEOLOGY**



- Chorrillos Project area is predominantly underlain by Ordovician basement sediments that have been intruded by a Tertiary-age volcanic complex of dacites, rhyodacites, tuffs and epiclastic sediments
- Alteration and mineralization are widespread at both properties characteristic of intermediate to high sulphidation epithermal systems
- Mineralization occurs in veins, stockworks and as disseminations in all rock types with extensive argillic and silicic alteration
- The epithermal systems are high-level reflected in the predominance of silver in galena veins
- However, tin mineralization has been reported in the valley suggesting that the overall epithermal system may be zoned





# **GONALBERT MINING AREA**




- Consists of 10 grids covering 2.5 km<sup>2</sup> located 15 km southeast of Iska Iska
- Small artisanal mine recovering high grade silver from a galena vein. Production reported to be 20 tpd at ~200 g Ag/t with concentrate grade of 1,300 g Ag/t
- Property is underlain by Miocene-age dacitic domes and dikes which have intruded basement Ordovician sediments
- Mineralization likely part of an extensive intermediate to high-sulphidation epithermal system



Dr. Osvaldo Arce, Dr. Bill Pearson and Marcelo Alvarez at Sajona Mine, Gonalbert Property

# **GONALBERT** MINING AREA







# GONALBERT EPITHERMAL MINERALIZATION





"The Gonalbert zone is a **Bolivian-type caldera hosted**, **polymetallic silver-dominant epithermal vein system**, associated with **Ordovician slates**, **and Miocene dacitic domes**, **dykes**, **and lithic tuffs**.

Vein-type and disseminated Ag-Zn-Pb mineralization occur in subvertically continuous fault hosted veins, and replacements of brecciated faults.

The widest and highest-grade veins are present in northwest trending faults which are readily evident in the geological and geophysical data."

**Dr. Osvaldo Arce, P.Geo.**, General Manager of Cartier Silver's Bolivian subsidiary, Minera Cartier S.R.L. and an expert on metalliferous deposits in Bolivia







# STRONG GEOCHEMICAL TREND AT GONALBERT



### SILVER (Ag)



### LEAD (Pb)






Ag-Pb-Zn mineralization is associated with north-northwest trending structures readily inferred from the IP/Res and topographic surveys.

Principal trend of mineralization is 310-330 degrees parallel to a set of north-northwest trending quartz dykes.

### **DISCOVERY HOLE AT GONALBERT**




- Cartier Silver Intersected 49.19 g Ag/t,
  1.35% Zn and 1.31% Pb (133.25 g Ag eq/t) over
  44.76 m in Discovery Hole on the Gonalbert
  Property, Potosi Department, Southern Bolivia
- This zone includes a higher-grade interval of 137.42 g Ag/t, 7.91% Zn and 5.6% Pb (540.26 g Ag eq/t) over 5.60 m
- Other significant intersections in the Discovery Hole include:
  - 57.74 g Ag/t and 1.75% Pb (121.71 g Ag eq/t) over 18.25 m including 79.90 g Ag/t and 2.53% Pb (168.41 g Ag eq/t) over 6.63 m
  - 109.54 g Ag/t, 3.68% Zn and 4.44% Pb (356.36 g Ag eq/t) over 11.09 m including 170.01 g Ag/t, 2.51% Zn and 7.00% Pb (450.37 g Ag eq/t) over 5.81 m




# **DISCOVERY HOLE CROSS SECTION**



### **GEOLOGY**



### **CHARGEABILITY WITH DRILLHOLES**






that the chargeable mineralization becomes stronger with depth, reaching a maximum at the 400 m limit of the IP/Res survey.

## STRONG CHARGEABILITY ANOMALY



- Strong IP chargeability anomaly
  along major NW structure from Mina
  Central extends 1,100 m along strike,
  is ~100 m wide and extends to a
  depth of at least 400 m, the depth
  limit of the survey
- Chargeable mineralization coincides with the enhanced conductivity along both fault traces
- at depths greater than 100 m, below a depleted, near-surface zone where sulphide mineralization has been extensively oxidized



# EXTENSIVE HIGH SILVER IN UG WORKINGS





Systematic channel sampling (overall average of 1.1 m)
of underground mine and artisanal workings returned widespread
high-grade silver equivalent results

### **Highlights**

- 751.6 g Ag eq/t (104.3 g Ag/t, 4.5% Pb and 10.3% Zn) over 257 m strike length in Level -140, Mina Central
- 1,161.8 g Ag eq/t (135.0 g Ag/t, 5.5% Pb and 17.4% Zn) over 136 m strike length in Level -160, Mina Central
- 581.99 g Ag eq/t (242.5 g Ag/t and 11% Pb) over 164 m strike length in Level -100, Mina Central

### **Other Significant Intersections**

#### MINA CENTRAL ADIT

#### LEVEL 0

- 129.9 g Ag eq/t (**72.6 g Ag/t** and 1.7% Pb) over 268 m strike length
- 82.20 g Ag eq/t (44.10 g Ag/t and 1.2% Pb) over 17 m strike length

#### LEVEL -40

- 957 g Ag eq/t (**512.5 g Ag/t** and 14% Pb) over 58 m strike length
- 361.9 g Ag eq/t (**132.40 g Ag/t** and 7.1% Pb) over 117 m strike length
- 145.7 g Ag eq/t (47.8 g Ag/t and 3.1% Pb) over 9 m strike length

#### LEVEL -60

375 g Ag eq/t (**153.7 g Ag/t** and 7% Pb) over 20 m strike length

#### LEVEL -80

382 g Ag eq/t (**223.9 g Ag/t** and 5.0% Pb) over 30 m strike length

#### **LEVEL -100**

- 589.7 g Ag eq/t (**239.5 g Ag/t** and 11% Pb) over 125 m strike length
- 803.78 g Ag eq/t (**343.2 g Ag/t** and 15% Pb) over 40 m strike length

#### **LEVEL -125**

- 1398.68 g Ag eq/t (**563.61 g Ag/t**, 14.5% Pb and 7.7% Zn) over 13 m strike length
- 1083.93 g Ag eq/t (172.88 g Ag/t, 9.80% Pb and 12.25% Zn) over 33 m strike length

#### **LEVEL -150**

1243.6 g Ag eq/t (**311.5 g Ag/t,** 13.7% Pb, and 10.16% Zn) over 4 m strike length

# EXTENSIVE HIGH SILVER IN ARTISAL WORKINGS



#### **LEVEL -160**

523.3 g Ag eq/t (68.5 g Ag/t, 3.6% Pb and 6.9% Zn) over 76 m strike length

#### **LEVEL -180**

- 633 g Ag eq/t (216.8 g Ag/t, 8.8% Pb and 2.8% Zn) over 64 m strike length
- 624 g Ag eq/t (23 g Ag/t, 0.7% Pb and 12% Zn) over 36 m strike length

#### MINA LA HOYADA ADIT

### LEVEL +20 (Quimbalete)

- 72.5 g Ag eq/t (21.6 g Ag/t, 1.3% Pb and 0.2% Zn) over 129 m strike length
- 223 g Ag eq/t (64.7 g Ag/t, 2.3% Pb and 1.8% Zn) over 29 m strike length

#### LEVEL 0

189 g Ag eq/t (38.2 g Ag/t, 1.9% Pb and 1.8% Zn) over 29 m strike length

- 193.5 g Ag eq/t (76.3 g Ag/t, 3.1% Pb and 0.4% Zn) over 41 m strike length
- 413.8 g Ag eq/t (67.8 g Ag/t, 3.1% Pb and 5.0% Zn) over 90 m strike length

#### LEVEL -30

- 102.5 g Ag eq/t (14.9 g Ag/t, 0.7% Pb and 1.3% Zn) over 241 m strike length
- 271.5 g Ag eq/t (37.3 g Ag/t, 1.9% Pb and 3.5% Zn) over 56 m strike length

#### **VICTORIA AREA**

#### **VICTORIA 1 ADIT**

- 316.20 g Ag eq/t (184.40 g Ag/t, 3.8% Pb, and 0.3% Zn) over 35.4 m strike length
- 79.7 g Ag eq/t (33.1 g Ag/t, 1.2% Pb, and 0.2% Zn) over 97 m strike length

#### **VICTORIA 2 ADIT**

109.2 g Ag eq/t (55.1 g Ag/t, 1.5% Pb, and 0.2% Zn) over 11 m strike length

#### **TACOYOJ AREA**

#### **RIELES ADIT**

- 76.8 g Ag eq/t (31.1 g Ag/t and 1.4% Pb) over 44 m strike length
- 113.4 g Ag eq/t (46.4 g Ag/t and 2.1% Pb) over 15 m strike length
- 125.1 g Ag eq/t (88.8 g Ag/t and 1.1% Pb) over 22 m strike length

#### **CELIA UG ADIT**

- 131 g Ag eq/t (49.3 g Ag/t and 2.5% Pb) over 93 m strike length
- 118.5 g Ag eq/t (60.2 g Ag/t, 1.8% Pb) over 48 m strike length

#### **ISABEL UG ADIT**

287.1 g Ag eq/t (133.9 g Ag/t, 4.7% Pb and 0.10% Zn) over 61 m strike length

# **FELICIDAD** MINING AREA




- Consists of 4 grids covering

  1 km² located 5 km southeast
  of the Gonalbert mining area
- Main structural feature on property is a conical hill, highly leached and oxidized
- The conical hill is known by the locals as "Pequeño Cerro Rico" or Small Rich Hill
- Past artisanal mining excavated silver-rich galena veins and vein breccias. Reported grades ~230 g Ag/t
- Geologically is similar to Gonalbert mining area with a **prominent oxidized cap**




# FELICIDAD MINING AREA









# HIGH GRADE SAMPLES AT FELICIDAD





"Most of the channel samples taken from underground at Felicidad returned high values."


Dr. Osvaldo Arce, P.Geo.

General Manager of Cartier Silver's Bolivian subsidiary

#### SURFACE & UNDERGROUND CHANNEL SAMPLE RESULTS

Sample	Location	Width (m)	Ag (g/t)	Pb (%)	Zn (%)	Ag eq (g/t)
FE-02	Surface	0.3	11.00	3.95	0.04	145.00
FE-03	Surface	0.2	170.00	20.04	0.03	811.74
FE-05	Underground working	0.4	19.00	4.85	0.00	182.56
FE-06	Underground working	0.15	42.00	9.41	0.01	348.09
FE-11	Surface	2	2.00	0.25	0.07	60.31
FE-13	Surface	0.06	0.50	0.02	0.08	93.44
FE-22	Underground working	0.5	162.00	19.25	0.27	812.16
FE-23	Surface	0.1	1.00	0.69	0.00	34.85
FE-25	Surface	0.6	4.00	0.17	0.00	393.15
FE-27	Underground working	0.35	100.00	0.31	0.36	153.72
FE-29	Underground working	0.2	175.00	29.60	7.22	1,468.45
FE-30	Underground working	0.2	28.00	8.85	0.34	362.39

### **GEOLOGY PLAN MAP**




# **SUMMARY MAJOR POTENTIAL AT GONALBERT**



- Strong correlation of chargeability with potential high-grade silver target areas outlined by underground channel sampling
- Discovery hole DGL-01 intersected Intersected 49.19 g Ag/t, 1.35% Zn and 1.31% Pb (133.25 g Ag eq/t) over 44.76 m
- Ag-Pb-Zn mineralization is associated with north-northwest trending structures readily inferred from the IP/Res and topographic surveys
- Strong IP chargeability anomaly along major NW structure from Mina Central extends 1,100 m along strike, is ~100 m wide and extends to a depth of at least 400 m, the depth limit of the survey
- Systematic channel sampling in underground workings at the Gonalbert property has confirmed the high-grade nature and extensions of silver-rich structures with increasing grades at depth

### **PLAN MAP**



# ISKA ISKA/GONALBERT PILOT PROJECT



- Provides potential for a working mine operation that de-risks the Iska Iska mine plan, processing flowsheet, concentrate metallurgy and specification.
- Local government and community support for **project** and mining permit approved, processing permit submitted for approval.
- "Crown" mineralization structure with minimal overburden enables fast access to potential mineable resource and existing adit for mine development and extraction.
- Initial pilot plant design and scoping/engineering work is essentially complete with minimal cost due to proposed design specification that has been used for treating similar ores.
- Base Case Iska Iska Project internal economic model completed, estimated project economics demonstrating potential for sufficient return on capital and payback to justify further work to advance the project.



Bolivian investors have expressed interest in funding major portion of initial capital costs (USD credit facility) and participating in the equity portion of Pilot Project capital costs

### Pilot Project Scope and Key Assumptions:

- 500 tpd mining preconcentrated to 300 tpd for processing
- Preliminary estimate of US\$20-25M initial capital cost and construction period between 12 to 16 months
- Provides potential source of funding for additional exploration and further engineering studies for an expanded commercial operation.

# **NEXT STEPS**



### PLANNED PHASE II PROGRAM

- Second round of drilling at Gonalbert to consist of 8-10 drillholes totaling approx. 3,000 metres
- chargeability anomaly extending 1.1 km for Mina Central and that correlates with high-grade samples encountered in underground workings

### PROPOSED BUDGET

Estimated cost of program cost is approx. US\$1,000,000

